




Cavo / filo termocoppia (IEC) Tipo K PVC isolato Coppia piatta



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Cavo / filo termocoppia (IEC) Tipo K PVC isolato Coppia piatta

Il cavo di compensazione assomiglia alla caratteristica termoelettrica della termocoppia pertinente in un intervallo di temperatura ambiente limitato, tipicamente da 0 a 80 C. Poich questi cavi sono realizzati con materiali a basso costo, possibile ottenere risparmi sui costi delle installazioni dell'impianto rispetto alla prolunga per termocoppia.

Indicazioni**Specifications**

General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	10, 25, 50, 100 or 200m
Cable Type	Flat pair construction
Core / Strands	7/0.2mm / 13/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219
Conductor Cross Section 13/0.2 (mm²)	0.408
Outer Colour	Green
+ Colour	Green
- Colour	White
Drain Wire	No
Insulation Material	PVC Insulated
Loop Resistance 7/0.2 (Ohms per combined metre)	4.5
Max. Temperature	+105°C



Min. Temperature	-10°C
+ Conductor	Nickel Chromium
- Conductor	Nickel Aluminium
Screen	No
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	K
Tolerance	Class 2