

## Prolunghe in PVC di tipo T con spina e presa miniaturizzate (IEC)



**TYPE-T**



**TYPE-T**

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

## Indicazioni

Costruzione del cavo: Coppia singola 7/0.2

Cavo / filo isolato in PVC

Posato in piano, affiancato e rivestito in PVC

Classe di tolleranza 2

Grado di isolamento da -10 a 105 C.

Codice colore IEC

Connettori miniaturizzati

Connettore miniaturizzato con pin a spina piatta

Connettore femmina miniaturizzato con contatti per termocoppia

I contatti sono polarizzati per evitare collegamenti errati

Temperatura massima 220C

Codice colore IEC

## Specifications

<b>General Description</b>	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
<b>Cable Length</b>	2M, 5M, 10M, 15M
<b>Cable Type</b>	Flat Pair Construction
<b>Connector Type</b>	Thermocouple Plug & Socket
<b>Connector Size</b>	Miniature
<b>Core / Strands</b>	7/0.2mm
<b>Conductor Cross Section 7/0.2 (mm<sup>2</sup>)</b>	0.219
<b>Outer Colour</b>	Brown

<b>Drain Wire</b>	No
<b>Insulation Material</b>	PVC Insulated
<b>Loop Resistance 7/0.2 (Ohms per combined metre)</b>	4.5
<b>Max. Temperature</b>	+105°C
<b>Min. Temperature</b>	-10°C
<b>+ Conductor</b>	Copper
<b>- Conductor</b>	Constantan
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to IEC-584-3
<b>Thermocouple Type</b>	T
<b>Termination Type</b>	Miniature Thermocouple Plug and Socket
<b>Tolerance</b>	Class 2