

## GM1311 Termometro digitale professionale per alimenti ad alte prestazioni



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**NOTA BENE: Il tempo di consegna sar di 7-10 giorni lavorativi quando si sceglie la calibrazione**

GM1311 Termometro digitale professionale ad alte prestazioni per alimenti/barbecue/carne

Temperatura ambiente :0 a 40 C (da 32 a 104 F)

Umidit dell'ambiente: 10-90% RH

Tensione di tasso: 3V

1 x termometro per alimenti

1 x manuale utente in inglese

1 x CR2032

#### Indicazioni

## Specifications

|                         |  |
|-------------------------|--|
| <b>Product Code</b>     | XE-4002-001  |
| <b>Accuracy</b>         | -10 - 100°C: +/-1°C / 100 - 200°C: +/-1.5°C  |
| <b>Resolution</b>       | 0.1°C / °F   |
| <b>Colour</b>           | White  |
| <b>Dimensions</b>       | 9.29 in x 1.34 in x 0.71 in (23.6 cm x 3.4 cm x 1.8 cm). Display dimension:44x18mm |
| <b>Function #1</b>      | LCD display  |
| <b>Function #2</b>      | Temperature lock   |
| <b>Function #3</b>      | Max/Min measuring  |
| <b>Function #4</b>      | Conversion between Celsius degree and Fahrenheit degree                            |
| <b>Function #5</b>      | Auto power off   |
| <b>Max. Temperature</b> | 300°C (572°F)  |
| <b>Min. Temperature</b> | -50°C (-58°F)  |
| <b>Probe Length</b>     | 149.5 x 6mm  |



# LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

|                     |                                      |
|---------------------|--------------------------------------|
| <b>Weight</b>       | Weight: 0.95 oz (27 g)               |
| <b>Power Supply</b> | CR2032 button battery x 1 (included) |