


Cavo termocoppia / tipo di filo U PVC isolato coppia piatta (BS)

Type U, 7/0.2mm
PVC Flat Pair



Cavo termocoppia / tipo di filo U PVC isolato coppia piatta (BS)

L'immagine è solo per l'illustrazione di codifica a colori

Il prezzo è per metro - si prega di aggiungere la quantità necessaria per il cesto. Solo 1.155 metri rimasti in magazzino

Il cavo di compensazione assomiglia alla caratteristica termoelettrica della termocoppia pertinente su un intervallo di temperatura ambiente limitato, da 0 a 80 gradi centigradi in genere. Poiché questi cavi sono realizzati con materiali a basso costo, è possibile ottenere risparmi sui costi per gli impianti rispetto all'esecuzione di un vero cavo di estensione thermocouple.

Indicazioni**Specifications**

Product Code	WU-001-D
General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	Priced per metre
Cable Type	Flat pair construction
Core / Strands	7/0.2mm
Conductor Cross Section 7/0.2 (mm²)	0.219
Outer Colour	Green
+ Colour	White
- Colour	Blue
Insulation Material	PVC Insulated



Loop Resistance 7/0.2 (Ohms per combined metre)	4.5
Max. Temperature	+105°C
Min. Temperature	-10°C
Standards Met	BS
Thermocouple Type	U
Tolerance	Class 2