


## Tipo K PFA isolato a coppia piatta termocoppia cavo / filo (JIS)



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Coppia piatta isolata in teflon PFA. Il teflon PFA ha una buona resistenza meccanica e flessibilit, resistente a oli, acidi e altri fluidi avversi, gas, vapore e pressione.

### Indicazioni

## Specifications

|  |   |
|--|---|
| <b>General Description</b>                               | Resistant to oils, acids other adverse agents and fluids. Good mechanical strength and flexibility. |
| <b>Cable Length</b>                                      | 10m, 25m, 50m, 100m   |
| <b>Cable Type</b>  | Single pair of PFA insulated conductors, laid flat with PFA jacket                                  |
| <b>Core / Strands</b>                                    | 1/0.2mm, 1/0.315mm, 1/0.508mm   |
| <b>Outer Colour</b>                                      | Blue  |
| <b>+ Colour</b>  | Red   |
| <b>- Colour</b>  | White   |
| <b>Insulation Material</b>                               | PFA Insulated   |
| <b>Loop Resistance 1/0.2 (Ohms per combined metre)</b>   | 31.8  |
| <b>Loop Resistance 1/0.315 (Ohms per combined metre)</b> | 12.8  |
| <b>Loop Resistance 1/0.508 (Ohms per combined metre)</b> | 4.9   |
| <b>Max. Temperature</b>                                  | +260°C  |
| <b>Min. Temperature</b>                                  | -75°C   |
| <b>+ Conductor</b>                                       | Nickel Chromium   |
| <b>- Conductor</b>                                       | Nickel Aluminium  |



# LABFACILITY

TEMPERATURE & PROCESS TECHNOLOGY

|                   |                                     |
|-------------------|-------------------------------------|
| Screen            | No                                  |
| Standards Met     | JIS (Japanese Industrial Standards) |
| Thermocouple Type | K                                   |