




## Cavo / filo termocoppia (IEC) Tipo K PVC isolato Coppia piatta



**TYPE-K**



**TYPE-K**

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**Cavo / filo termocoppia (IEC) Tipo K PVC isolato Coppia piatta**

Il cavo di compensazione assomiglia alla caratteristica termoelettrica della termocoppia pertinente in un intervallo di temperatura ambiente limitato, tipicamente da 0 a 80 C. Poich questi cavi sono realizzati con materiali a basso costo, possibile ottenere risparmi sui costi delle installazioni dell'impianto rispetto alla prolunga per termocoppia.

**Indicazioni**
**Specifications**

<b>General Description</b>	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
<b>Cable Length</b>	10, 25, 50, 100 or 200m
<b>Cable Type</b>	Flat pair construction
<b>Core / Strands</b>	7/0.2mm / 13/0.2mm
<b>Conductor Cross Section 7/0.2 (mm<sup>2</sup>)</b>	0.219
<b>Conductor Cross Section 13/0.2 (mm<sup>2</sup>)</b>	0.408
<b>Outer Colour</b>	Green
<b>+ Colour</b>	Green
<b>- Colour</b>	White
<b>Drain Wire</b>	No
<b>Insulation Material</b>	PVC Insulated
<b>Loop Resistance 7/0.2 (Ohms per combined metre)</b>	4.5
<b>Max. Temperature</b>	+105°C



<b>Min. Temperature</b>	-10°C
<b>+ Conductor</b>	Nickel Chromium
<b>- Conductor</b>	Nickel Aluminium
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to IEC-584-3
<b>Thermocouple Type</b>	K
<b>Tolerance</b>	Class 2