




## Tipo K Cavo / filo a coppia piatta isolato in fibra di vetro (ANSI)



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

**Tipo K Cavo / filo a coppia piatta isolato in fibra di vetro (ANSI)**

Costruzione a coppia piatta isolata in fibra di vetro, conduttori posati in piano, fibra di vetro isolata con fibra di vetro in generale, silicone verniciato in tutto. Buona resistenza alla temperatura ma non adatta dove sono presenti fluidi.

**Indicazioni**
**Specifications**

<b>General Description</b>	Good temperature range but will not prevent ingress of fluids. Fairly flexible but does not provide good mechanical protection.
<b>Cable Length</b>	10m, 25m, 50m, 100m
<b>Cable Type</b>	Flat pair cable
<b>Core / Strands</b>	1/0.315mm
<b>Conductor Cross Section 1/0.315 (mm<sup>2</sup>)</b>	0.078
<b>Outer Colour</b>	Yellow
<b>+ Colour</b>	Yellow
<b>- Colour</b>	Red
<b>Drain Wire</b>	No
<b>Insulation Material</b>	Glassfibre insulated
<b>Loop Resistance 1/0.315 (Ohms per combined metre)</b>	12.8
<b>Max. Temperature</b>	+350°C (short periods up to 400°C)
<b>Min. Temperature</b>	-60°C
<b>+ Conductor</b>	Nickel Chromium



<b>- Conductor</b>	Nickel Aluminium
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to ANSI MC96.1
<b>Thermocouple Type</b>	K
<b>Tolerance</b>	Class 2